

Michigan Department of Education
State Aid and School Finance
NonResident Foundation Adjustment Report
Payment 3 Dated 12/20/2024 for Base Year 2025

District: 73000 Saginaw ISD (Year: 2025)

Resident District	Resident Foundation	Total Adjusted (SE52 + Deaf/Blind)		Total Adjusted (SE53 + EMI + JUV)	
		Spring	Fall	Spring	Fall
73010 Saginaw, School District of the City of	\$9,608.00	10.72	105.02	0.10	0.90
73030 Carrollton Public Schools	\$9,608.00	1.33	12.46	\$960.80	\$8,647.20
73040 Saginaw Township Community Schools	\$9,608.00	\$12,778.64	\$119,715.68	\$0.00	\$0.00
73110 Chesaning Union Schools	\$9,608.00	5.90	62.44	2.49	9.90
73170 Birch Run Area Schools	\$9,608.00	\$56,687.20	\$599,923.52	\$23,923.92	\$95,119.20
73180 Bridgeport-Spaulding Community School District	\$9,608.00	1.49	11.41	0.00	0.00
73190 Frankenmuth School District	\$9,608.00	\$14,315.92	\$109,627.28	\$0.00	\$0.00
73200 Freeland Community School District	\$9,608.00	1.26	13.25	0.00	0.00
73210 Hemlock Public School District	\$9,608.00	\$12,106.08	\$127,306.00	\$0.00	\$0.00
73230 Merrill Community Schools	\$9,608.00	4.78	39.33	0.00	2.70
73240 St. Charles Community Schools	\$9,608.00	\$45,926.24	\$377,882.64	\$0.00	\$25,941.60
73255 Swan Valley School District	\$9,608.00	1.35	10.91	0.00	0.00
		\$12,970.80	\$104,823.28	\$0.00	\$0.00
		2.17	21.37	0.00	0.00
		\$20,849.36	\$205,322.96	\$0.00	\$0.00
		1.01	7.25	0.00	0.00
		\$9,704.08	\$69,658.00	\$0.00	\$0.00
		1.01	7.20	0.00	0.00
		\$9,704.08	\$69,177.60	\$0.00	\$0.00
		0.73	7.06	0.00	0.00
		\$7,013.84	\$67,832.48	\$0.00	\$0.00
		1.01	6.30	1.50	0.00
		\$9,704.08	\$60,530.40	\$14,412.00	\$0.00
District Totals (Year: 2025) :		32.76	304.00	4.09	13.50
		\$314,758.08	\$2,920,832.00	\$39,296.72	\$129,708.00
			\$3,235,590.08		\$169,004.72

This report reflects only nonresident FTE counts that generate a monetary adjustment to foundation allowances under Section 20(5) of the State Aid Act
* Foundation amount is capped at the State Maximum for the year. Does take into account a district's per-pupil allocation under section 20m but not 20j.